



Hand protection

# ALPHA VE905

WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Chemical glove ideal for handling mildly aggressive products



## Specific benefits



### Durability

· High-quality coating extends the life of the glove and provides excellent protection for the hand



### Easy to use

· Chlorinated interior for easy glove donning



### Performance

· Lightweight for optimal dexterity

## Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Manufacturing/Transformation
- Accommodation & Food Services
- Maintenance

## Certifications and norms



EN 388  
0010X



EN ISO 374-1  
TYPE C  
KL



EN ISO 374-5



EN 421:2010



## Risk Protection



Biological



Chemical



Particules



Hand protection

# ALPHA VE905

WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Chemical glove ideal for handling mildly aggressive products

## Standards - Details



### EN388:2016+A1:2018

0 [0-4] ABRASION RESISTANCE  
0 [0-5] CUT RESISTANCE  
1 [0-4] TEAR RESISTANCE  
0 [0-4] PIERCE RESISTANCE  
X [A-F] CUT RESISTANCE ISO 13997



### EN 374

K  
L

## Technical details

Glove kind	Tight glove
Glove family	Tight glove unsupported powder free
Tight glove kind	Unsupported
Inner finition	Powder free
Coating material and finition	Smooth Latex
Coating Level	Full Coating
Number of Coatings	Single Coated
Thickness (mm)	0,40
Arm level protection	Forearm cuff (< 400mm)
Benefits element	Reach, Vendor pack
Color	Natural
Size	6, 7, 8, 9, 10
Type of conditioning	in individual bags



Hand protection

# ALPHA VE905

WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Chemical glove ideal for handling mildly aggressive products

## Permeation table

Chemicals	Letter	CAS #	Permeation level	Permeation time (minutes)	Dégradation moyenne
Sodium Hydroxyde 40%	K	1310-73-2	6	480	- 32.4
Peroxyde d'Hydrogène 30%	P	7722-84-1	6	480	-4.4
Formaldehyde 37%	T	50-00-0	6	480	-17.5








Safety gloves

# ALPHA VE905


WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Chemical glove ideal for handling mildly aggressive products

## Logistics Information


Reference	Color	Size	Designation	EAN13	Box Code			Weight			
VE905NA08	Natural	8/9	ALPHA VE905	3295249009724	13295249009721	144	12	10.7 kg	25.4 cm	42.0 cm	29.6 cm

 Multiple Sales

 Minimum Order Quantity

 Box Width

 Box Depth

 Box Height